



# ZN3MP4D6 - Drop Ceiling Mini PTD



## Features

- EMBEDDED LINUX
- TRIPLE CODEC (H.264/ MPEG4/ MJPEG)
- 1/2.8" 2.0M Sony CMOS sensor
- Dual Streaming at different rate & resolution
- 1080p/ 720p/ D1/ CIF/ QCIF(MJPEG)
- 30/25 fps Max. frame rate for all resolutions
- FTP/ E-mail/ alarm notification & JPEG Rec (SD)
- Full HD (1920x1080) effective pixel
- HD Ratio (16:9)
- Micro SDHC Memory support (not included) ~32G



(Spring Clamp Type)

|                    |   |
|--------------------|---|
| OS                 | Embedded Linux  |
| Video Compression  | Triple Codec,H.264/MPEG4/MJPEG                                  |
| Video Streaming    | Multi Streaming CBR/VBR (controllable frame rate and bandwidth) |
| Resolution         | All Codec : 1080P/720P/D1/CIF<br>MJPEG: QCIF                    |
| Frame Rate         | Max. 30 /25 fps   |
| Audio Compression  | Two way, G.711 PCM. $\mu$ -law 64kbps 8kHz                      |
| Local Storage      | SDHC memory card (card is not included)                         |
| Motion detection   | Notification: FTP, e-mail, Alarm out, JPEG Recording on SD      |
| Alarm              | Pre-Post Alarm  |
| Max No. of Clients | 5   |
| Protocol           | ONVIF, TCP/IP, HTTP, DHCP, PPPoE, ICMP, DDNS                    |
| Image Device       | 1/2.8" 2.0M CMOS  |
| Total Pixels       | 1920(H)X1080(V)   |
| Effective Pixels   | Approx. 2 Mega pixels   |
| Aspect Ratio       | HD: 16:9  |
| Zoom               | 4x Digital Zoom   |
| Focal Length       | 4.3mm   |
| Horizontal angle   | 71 deg  |
| Range              | Pan : 350° , Tilt : 90°   |
| Pan/Tilt Speed     | Preset : 120°/ sec , Manual : MAX 120°/sec                      |
| Sensor In/Out      | 1 Input/ 1 Output   |
| Audio In/Out       | 1 Input/ 1 Output   |
| Power              | DC 12V 10W, PoE IEEE 802.3af                                    |
| OS Supported       | Windows 7, Vista, XP, 2000                                      |

*All specifications are subject to change without notice.*